Acta Physiol Scand 1996, **158**, 385–387

Author index

Ærø, C. E. *see* Skrede, K. K.
Ahrén, B., Bertrand, G., Roye, M. & Ribes, G. Pancreastatin modulates glucose-stimulated insulin secretion from the perfused rat pancreas, 63
Alving, K. *see* Lundberg J. O. N.
Andersen, C. *see* Pedersen, P. K.
Andersen, H. *see* Rytved, K. A.
Andersson, S. E., Hemsén, a. & Lundberg, J. M. The effect ofendothelin receptor blockade on the development of the Sephadex induced inflammation in the rat lung, 189
Ashton, N. & Swift, F. V. Intrarenal administration of angiotensin II does not moderate afferent renal nerve mediated cardiovascular reflexes in the anaesthetized rabbit, 233
Assael, B. M. *see* Syrén, M.-L.
Atalay, M., Seene, T., Hänninen, O. & Sen, C. K. Skeletal muscle anheart antioxidant defences in response to sprint training, 129
Auguet, M. *see* Delaflotte, S.

Banyasz, T. *see* Nanasi, P. P.
Bealer, S. L. *see* Skarphedinsson, J. O.
Bertrand, G. *see* Ahrén, B.
Birkeland, S. *see* Ryinning, S. E.
Bjerkhoel, P. *see* Lundvall, J.
Boris-Möller, F. *see* Drake, M.
Bränström, R. & Hellström, P. M. Characteristics of fasting and fed myoelectric activity in rat small intestine: evaluation by computor analysis, 53
Breget, R. *see* Thanh, X. Do
Brunvand, H. *see* Rynning, S. E.

Carlsson, S. *see* Skarphedinsson, J. O.
Chabrier, P. E. *see* Delaflotte, S.
Christensen, N. J. *see* Pott, F.
Claude, J. R. *see* Thanh, X. Do
Clausen, T. *see* Dørup, I.
Clot, J. P. *see* Thanh, X. Do

Davidsson, S. *see* Lindqvist, M.
Decraemer, W. F. *see* Ulfendahl, M.
Delaflotte, S., Auguet, M. & Chabrier, P. E. Pharmacological evidence that different α1 adrenoceptor subtypes mediate contraction in rabbit prostrate and hypogastric artery, 241
Delbro, D. *see* Nilsson, B.
Delle, M. *see* Skarphedinsson, J. O.
Do, B. *see* Thanh, X.Do
Dørup, I. & Clausen, T. Characterization of bumetanide-sensitive Na^+ and K^+ transport in rat skeletal muscle, 119
Drake, M., Friberg, H., Boris-Möller, F., Sakata, K. & Wieloch, T. The immunosuppressant FK506 ameliorates ischaemic damage in the rat brain, 155
Durand, D. *see* Thanh, X. Do

Edwall, L. *see* Olgart, L.
Ekelund, U. Effects of angiotensin-converting enzyme inhibition on arterial, venous and capillary functions in cat skeletal muscle in vivo, 29

Eriksson, M., Lundeberg, T. & Uvnäs-Moburg, K. Studies on cutaneous blood flow in the mammary gland of lactating rats, 1

Friberg, H. see Drake, M.
Fridén, J. & Lieber, R. L. Ultrastructural evidence for loss of calcium homeostasis in exercised skeletal muscle, 381
Friman, S. see Nilsson, B.

Gelinder, S. see Lundberg J. O. N.
Grass, S., Hoffman, O., Xu, X.-J. & Wiesenfeld-Hallin, Z. *N*-methyl-D-aspartate receptor antagonists potentiate morphine's antinociceptive effect in the rat, 269
Green, A. L., Simpson, E. J., Littlewood, J. J., Macdonald, I. a. & Greenhaff, P. L. Carbohydrate ingestion augments creatine retention during creatine feeding in humans, 195
Greenhaff, P. L. *see* Green, A. L.
Grong, K. *see* Rynning, S. E.

Häkkinen, K., Kallinen, M., Linnamo, V., Pastinen, U.-M., Newton, R. U. & Kraemer, W. J. Neuromuscular adaptations during bilateral vs. unilateral strength training in middle-aged and elderly men and women, 77
Hänninen, O. *see* Atalay, M.
Hansen, H. *see* Pott, F.
Hellström, P. M. *see* Bränström, R.
Hellström, P. M. *see* Tolessa, T.
Hemsén, a. *see* Andersson, S. E.
Hexeberg, E. *see* Rynning, S. E.
Higashi, Y. *see* Murakami, Y.
Hjemdahl, P. *see* Lindqvist, M.
Hoffman, O. *see* Grass, S.
Hounsgaard, J. *see* Skydsgaard, M.

Ikuta, Y. *see* Murakami, Y.
Iwase, S. *see* Miwa, C.

Jensen, K. *see* Pedersen, P. K.
Jensen, K. *see* Pott, F.
Jivgaaard, L. *see* Nilsson, B.
Jodal, M. & Lundgren, O. Do intestinal villi secrete? mini review, 115

Kallinen, M. *see* Häkkinen, K.
Källskog, Ö. *see* Wolgast, M.
Katsuta, S. *see* Yamaguchi, a.
Khammari, a. *see* Péréon, Y.
Khanna, S. M. *see* Ulfendahl, M.
Koga, K. *see* Miwa, C.
Kostouros, G. D. *see* Olgart, L.
Kraemer, W. J. *see* Häkkinen, K.

Larsen, T. *see* Unneberg, K.
Larsson-Nyrén, G. Perchlorate is hypoglycaemic by amplifying glucose- stimulated insulin secretion in mice, 71
Lassen, N. A. *see* Pott, F.
Levin, R. J. *see* Przyborski, S. A.
Lieber, R. L. *see* Fridén, J.
Lindgren, P. *see* Lundvall, J.

© 1996 Scandinavian Physiological Society

Lindqvist, M., Davidsson, S., Hjemdahl, P. & Melcher, A. Sustained forearm vasodilation in humans during mental stress is not neurogenically mediated, 7
Linnamo, V. *see* Häkkinen, K.
Littlewood, J. J. *see* Green, a. L.
Lördal, M. *see* Tolessa, T.
Lundberg, J. M. *see* Andersson, S. E.
Lundberg, J. M. *see* Lundberg J. O. N.
Lundberg, J. O. N., Settergren, G., Gelinder, S., Lundberg, J. M., Alving, K. & Weitzberg, E. Inhalation of nasally derived nitric oxide modulates pulmonary function in humans, 343
Lundeberg, T. *see* Eriksson, M.
Lundgren, O. *see* Jodal, M.
Lundvall, J., Bjerkhoel, P., Quittenbaum, S. & Lindgren, P. Rapid plasma volume decline upon quiet standing reflects large filtration capacity in dependent limbs, 161
Lydrup, M.-L. & Nilsson, B.-O. Acute and long-term effects of 17β-oestradiol on agonist-stimulated force in rat tail artery, 253

Macdonald, I. A. *see* Green, A. L.
Macfarlane, D. J. *see* Regan, J. M.
Madsen, K. *see* Pedersen, P. K.
Mandøe, H. *see* Pedersen, P. K.
Mano, T. *see* Miwa, C.
Massicot, F. *see* Thanh, X. Do
Matsukawa, T. *see* Miwa, C.
Melcher, a. *see* Lindqvist, M.
Mimura, Y. Phosphate and cyclic AMP excretion decreases during less than 12 h of hypoxia in conscious rats, 317
Miwa, C., Mano, T., Saito, M., Iwase, S., Matsukawa, T., Sugiyama, Y. & Koga, K. Ageing reduces sympatho-suppressive response to head-out water immersion in humans, 15
Mjaaland, M. *see* Unneberg, K.
Morita, I. *see* Yamaguchi, A.
Murakami, Y., Ochi, M., Ikuta, Y. & Higashi, Y. Permeation from the synovial fluid as nutritional pathway for the anterior cruciate ligament in rabbits, 181

Nanasi, P. P., Pankucsi, C., Banyasz, T., Szigligeti, P., Papp, J.Gy. & Varro, A. Electrical restitution in rat ventricular muscle, 143
Newton, R. U. *see* Häkkinen, K.
Nielsen, R. *see* Rytved, K. A.
Nilsson, B., Delbro, D., Thune, A., Friman, S., Jivgaaard, L. & Svanik, J. VIP-antiserum and indomethacin inhibit calcium and bicarbonate secretion by the inflamed feline gallbladder mucosa, 203
Nilsson, B.-O. *see* Lydrup, M.-L.
Nivet, V. *see* Thanh, X. Do
Noireaud, J. *see* Péréon, Y.
Nylander, O *see* Sababi, M.

Ochi, M. *see* Murakami, Y.
Ohtomo, Y., Ono, S., Zettergren, E. & Sahlgren, B. Neuropeptide Y regulates rat renal tubular Na,K-ATPase through several signalling pathways, 97
Olgart, L., Kostouros, G. D. & Edwall, L. Local actions of acetylcholine on vasomotor regulation in rat incisor pulp, 311
Ono, S. *see* Ohtomo, Y.

Pankucsi, C. *see* Nanasi, P. P.
Papp, J. Gy. *see* Nanasi, P. P.
Pastinen, U.-M. *see* Häkkinen, K.
Pedersen, P. K., Mandøe, H., Jensen, K., Andersen, C. & Madsen, K. Reduced arterial O2 saturation during supine exercise in highly trained cyclists, 325
Péréon, Y., Khammari, a. & Noireaud, J. Perchlorate differentially potentiates excitation-contraction coupling of diaphragm muscle from *mdx* and control mice, 287
Pott, F., Jensen, K., Hansen, H., Christensen, N. J., Lassen, N. a. & Secher, N. H. Middle cerebral artery blood velocity and plasma catecholamines during exercise, 349
Prefaut, C. *see* Ramonatxo, M.
Prioux, J. *see* Ramonatxo, M.
Przyborski, S. A. & Levin, R. J. Assessment of receptor reserve during cholinergically induced intestinal secretion in rat jejunum *in vitro*, 377

Quittenbaum, S. *see* Lundvall, J.

Ramonatxo, M., Prioux, J. & Prefaut, C. Differences in mouth occlusion pressure and breathing pattern between arm and leg incremental exercise, 333
Regan, J. M., Macfarlane, D. J. & Taylor, N. a. S. An evaluation of the role of skin temperature during heat adaptation, 365
Revhaug, A. *see* Unneberg, K.
Ribes, G. *see* Ahrén, B.
Røshol, H. *see* Skrede, K. K.
Roye, M. *see* Ahrén, B.
Rynning, S. E., Brunvand, H., Birkeland, S., Hexeberg, E. & Grong, K. High afterload during 10 min of regional ischaemia affects diastolic creep but not systolic function in reperfused (stunned) myocardium, 39
Rytved, K. A., Andersen, H. & Nielsen, R. Postglandin E_2 inhibits antidiuretic hormone induced transepithelial sodium transport and cAMP production in frog skin epithelium (*Rana esculenta*), 357

Sababi, M. & Nylander, O. Comparative study of the effects of nitric oxide synthase and cyclo-oxygenase inhibition on duodenal functions in rats anaesthetized with inactin, urethane or α-chloralose, 45
Sahlgren, B. *see* Ohtomo, Y.
Saito, M. *see* Miwa, C.
Sakata, K. *see* Drake, M.
Sakuma, K. *see* Yamaguchi, a.
Secher, N. H. *see* Pott, F.
Seene, T. *see* Atalay, M.
Sen, C. K. *see* Atalay, M.
Sereni, F. *see* Syrén, M.-L.
Settergren, G. *see* Lundberg J. O. N.
Simpson, E. J. *see* Green, A. L.
Skarphedinsson, J. O., Delle, M., Carlsson, S. & Bealer, S. L. The effects of hexamethonium on cerebral blood flow and cerebral function during relative cerebral ischaemia in rats, 21
Skrede, K. K., Røshol, H., Ærø, C. E. & Wiik, P. Peritoneal leucocytes from spontaneously hypertensive rats have reduced chemiluminescence and lower sensitivity to dexamethasone *in vivo*, 169
Skydsgaard, M. & Hounsgaard, J. Multiple actions of iontophoretically applied serotonin on motorneurones in the turtle spinal cord *in vitro*, 301
Soya, H. *see* Yamaguchi, A.
Steigen, T. *see* Unneberg, K.
Sugiyama, Y. *see* Miwa, C.
Svanik, J. *see* Nilsson, B.

© 1996 Scandinavian Physiological Society

Swift, F. V. *see* Ashton, N.
Syrén, M.-L., Tirelli, S., Assael, B. M. & Sereni, F. Regulation of sodium-potassium-adenosine-triphosphatase activity by extracellular guanosine 3′,5′-cyclic monophosphate in rat kidney, 295
Szigligeti, P. *see* Nanasi, P. P.

Takeda, H. *see* Yamaguchi, a.
Taylor, N. a. S. *see* Regan, J. M.
Thanh, X.Do, Massicot, F., Do, B., Breget, R., Nivet, V., Durand, D., Warnet, J. M., Claude, J. R. & Clot, J. P. 1α,25-Dihydroxyvitamin D_3 stimulated alkaline phosphatase activity in cultured pig kidney epithelial LLC-PK1 cells, 107
Thune, a. *see* Nilsson, B.
Tirelli, S. *see* Syrén, M.-L.
Tolessa, T., Lördal, M. & Hellström, P. M. Contractile responses of rat duodenum caused by transmural nerve stimulation: interaction between tachykininergic and cholinergic mechanisms, 135

Ulfendahl, M., Khanna, S. M. & Decraemer, W. F. Acoustically induced vibrations of the Reissner's membrane in the guinea-pig inner ear, 275
Unneberg, K., Steigen, T., Revhaug, A., Larsen, T. & Mjaaland, M. Acute growth hormone injection reduced gastrointestinal and increased hepatic oleic acid oxidation in swine, 261
Uvnäs-Moburg, K. *see* Eriksson, M.

Valverde, I. & Villanueva-Pennnacarrillo, M. L. *In vitro* insulinomimetic effects of GLP-1 in liver, muscle and fat. Erratum, 297
Varro, a. *see* Nanasi, P. P.
Villanueva-Pennnacarrillo, M. L. *see* Valverde, I.

Wahlström, H. *see* Wolgast, M.
Warnet, J. M. *see* Thanh, X. Do
Weitzberg, E. *see* Lundberg J. O. N.
Wieloch, T. *see* Drake, M.
Wiesenfeld-Hallin, Z. *see* Grass, S.
Wiik, P. *see* Skrede, K. K.
Wolgast, M., Källskog, Ö., & Wahlström, H. Characteristics of the glomerular capillary membrane of the rat kidney as a hydrated gel. I. Hypothetical structure, 213
Wolgast, M., Källskog, Ö., & Wahlström, H. Characteristics of the glomerular capillary membrane of the rat kidney as a hydrated gel. II. On the validity of the model, 225

Xu, X.-J. *see* Grass, S.

Yamaguchi, A., Sakuma, K., Morita, I., Soya, H., Takeda, H. & Katsuta, S. Changes in fibre types in rat soleus and plantaris muscles following hypophysectomy and compensatory overload, 89

Zettergren, E. *see* Ohtomo, Y.

© 1996 Scandinavian Physiological Society

Acta Physiol Scand 1996, **158**, 389–391

Subject index

Acclimation, 365
Acetylcholine, 311
ACTH, 169
Action potential duration, 143
Adaptation, 365
α_1-adrenoceptors, 241
Adrenaline, 7, 349
Afferent renal nerve, 233
Afterload, 39
Ageing, 15, 77
Alkaline phosphotase, 107
cAMP, 357
Amiloride, 119, 203
Analgesia, 269
Angiotensin II, 233
Angiotensin-converting enzyme, 29
Anterior cruciate ligament, 181
Antidiuretic hormone, 357
Antioxidant, 129
ARDS, 343
Arm exercise, 333
Arterial O_2 destaturation, 325
Arteries, 29, 251
Athletes, 325
Axillary blockade, 7

Bilateral and unilateral strength, 77
Blood flow, 1
Blood pressure, 15
Bosentan, 189
Bradykinin, 29
Breathing pattern, 333
Bronchoalveolar lavage, 189

Calcitonin gene related peptide, 1
Calcium channel, 301
Calcium current, 143
Calcium homeostasis, 381
Capillary pressure, 29
Carbochol, 377
Carbon dioxide reactivity, 349
Cardiac muscle, 143
Cardiovascular reflex, 233
Ca^{2+} transport, 203
Catecholamines excretion, 317
Cellular potential, 357
Cerebral blood flow, 21, 349
Cerebral blood flow autoregulation, 21
Cerebral function, 21
Cerebral ischaemia, 21
CFC, 161
CGS19755, 269
Clonidine, 63
Cochlea, 275
Compensatory overload, 89
Computor, 53
Computor analysis, 53
Core temperature, 365
Cyclic AMP, 97
Cyclic AMP excretion, 317

Dendrites, 301
Dental pulp, 311
Dextromethorphan, 269
1α,25-dihydroxyvitamin D_3, 107
Distolic creep, 39

Eccentric contraction, 381
'Effective' impedance of the respiratory system, 333
Electrical restitution, 143
Electro-osmosis, 213
Electromyography, 77
Electrophysiology, 301
Endothelin, 189
Epithelia, 357
Epithelial transport cholera, 115
Ex vivo activation, 169
Excitation-contraction coupling, 287
Exercise, 129, 195
Extensor digitorum longus, 119
Extracellular, 295

Fibre type, 89
Fixed changes, 225
FK506, 155
Fluid filtration, 161
Free radical, 129
Frog skin, 357
Furosemide, 119

Gallbladder, 203
Ganglionic blockade, 21
Gastrointestinal, 261
Gastrointestinal motility, 53, 135
Glomerular filtration, 213, 225
GLP-1, 297
Glucocorticoid, 169
Glucose, 195
Glucose oxidation, 261
Glucose-metabolism, 297
Glutamate, 155
Glutathione, 129
cGMP, 295
Growth hormone, 89, 261

Haemoconcentration, 161
Haemorrhage, 21
Hearing, 275
Heart rate, 15, 349
Heat stress, 365
Hepatic, 261
Hexamethonium, 21
Hot plate test, 269
5-HT, 301
Human, 15
Human growth hormone, 107
Hydrated gel, 213
Hydraulic conductivity, 213
Hypocapnia, 317, 349

© 1996 Scandinavian Physiological Society

Hypogastric artery, 241
Hypovolaemia, 161
Hypoxia, 317, 349

Immunodepression, 169
Immunophilin, 155
Incremental exercise, 333
Incretin, 297
Indomethacin, 45, 203
Inner ear, 275
Insulin, 71, 195, 297
Insulin secretion, 63
Intracellular calcium, 97, 143
Intracellular signalling, 97
Ion channels, 143
Iontophoresis, 301
Ischaemia, 155

Lactation, 1
Leg cycling, 333
Leucocyte recruitment, 189
LLC-PK1 cells, 107
Losartan, 29

Macrophage, 169
Mammary gland, 1
Maximal oxygen uptake, 325
mdx, 287
Mechanics, 275
Medial collateral ligament, 181
Microcirculation, 29
Migrating myoelectric complex (MMC), 53
Mitochrondria, 155
MK-801, 269
Modulation, 301
Monocyte, 169
Motility, 45
Mouse, 71
Mouth occlusion pressure, 333
Mucosal fluid transport, 203
Mucosal permeability, 45
Muscarinic receptor reserve, 377
Muscle, 195
Muscle cross-sectional area, 77
Muscle sympathetic nerve activity, 15
Myocardial stunning, 39
Myoelectric activity, 53

Na/Ca exchange, 143
Na^+,K^+-ATPase, 97, 295
[β-Ala^8]-neurokinin A(4–10), 135
Neurokinins, 135
Neuronal death, 155
Neuropeptide Y, 1, 97
Nitric oxide, 29, 311
NMDA receptor, 269
Noradrenaline, 7, 251, 349
Nutritional pathway, 181

17β-oestradiol, 251
Oedema, 161, 189
Oleic faty acid, 261
Opiates, 269
Orthostatic reactions, 161
Osmoregulation, 119
Oxidation, 261
Oxygen toxicity, 129
Oxygenation, 343
Oxytocin, 1

Pancreas, 63
Pancreastatin, 63
Paranasal sinuses, 343
Parathyroid hormone, 317
Perchlorate, 71
Perchlorate ions, 287
Perfused pancreas, 63
Phagocyte, 169
Pharmacokinetic analysis, 181
Phosphate excretion, 317
Physical training, 365
Plasma volume, 161
Plateau potential, 301
Postglandin E_2, 357
Posture, 161, 325
Potassium contractures, 287
Prostrate, 241
Protein kinase, 97
Protein phosphotase, 97
Psychological stress, 7
Pulmonary vascular resistance, 343
Purinoceptor, 63

Rabbit, 241
Rat, 63, 213, 225, 311
Rat heart, 143
Rat jejunal secretion, 377
Rat lung, 189
Receptor antagonism, 189
Regeneration, 287
Reissner's membrane, 275
Renal tubule cell, 97
Respiratory burst, 169

Sacroplasmic reticulum crystals, 381
Secretion, 45
Senktide, 135
Sephadex, 189
Serum glucose, 71
Skeletal muscle, 7, 89, 287
Small intestinal motility, 53
Small intestine, 115
Smooth muscle, 135, 251
Sodium absorption, 357
Sodium permeability, 357
Soleus, 119
Somatosensory evoked potentials, 21
Spontaneously hypertensive rats, 21, 169
Sprint training, 129
Standing, 161
Strength training, 77
Substance P methyl ester, 135
Sweating, 365

Tachykinins, 135
TAL, 295
Thyroid hormone, 89
Transcranial Doppler, 349

Vascular resistance, 7
Vascular tone, 29
Vasoactive intestinal peptide (VIP), 203

© 1996 Scandinavian Physiological Society

Vasoactive polypeptide, 1
Vasoconstriction, 311
Vasodilation, 311
Veins, 29
Ventilation-perfusion distribution, 325
Villus, 115
VIP-antiserum, 203

Water immersion, 15
Wistar-Kyoto rat, 169

Z-disk loss, 381

© 1996 Scandinavian Physiological Society